Contents and Subject Index

Pflanzenschutz-Nachrichten

Bayer

Volume 1971

Digitized by the Internet Archive
in 2025

https://archive.org/details/bayer-cropscience-journal_1971_index-contents

Contents

Volume 1971

Page

Burnett, W. M., and Inglis, I. M.:
The development of ®Nemacur for control of root-knot nematodes (*Meloidogyne* spp.) on tomatoes and tobacco in Queensland 170

Dern, R.:
Experiences with ®Terracur P Granular for the control of nematodes 476

Dräger, G.:
Studies on the metabolism of phoxim (Bay 77 488) 239

Edmunds, J. E.:
Banana nematodes and their control 145

Frehse, H.:
Analysis of organophosphorus pesticide residues II 265

Hermann, G., and Kolbe, W.:
Effect of seed coating with ®Mesurol for protection of seed and sprouting maize against bird damage, with consideration to varietal tolerance and side-effects 279

Homeyer, B.:
®Nemacur, a highly effective nematocide for protective and curative application 48

Homeyer, B.:
®Terracur P, a broad spectrum soil insecticide and nematocide 367

Jung, H. F., and Iwaya, K.:
®Terracur P, an insecticide and nematocide especially suitable for use in rice crops 486

Kaai, C., and Koert, J. L.:
Control of stem nematodes on onions with ®Phytosol 525

Kaspers, H., and Kolbe, W.:
Biology, economic importance and control of cereal powdery mildew *Erysiphe graminis* DC. 327

Kolbe, W.:
Studies on the control of nematodes with ®Terracur P in tree nurseries, fruit crops, vegetables and field crops 431

Kremer, Fr. W.:
Change of species dominance among pests of intensively protected pome fruit crops in Italy 232

Löser, E., and Kimmerle, G.:
Acute and subchronic toxicity of ®Nemacur active ingredient 69

Löser, E., and Kimmerle, G.:
Toxicology of ®Terracur P active ingredient 407

Martin, T. J.:
Development of ®Imugan in Great Britain for the control of barley mildew *(Erysiphe graminis* DC.) 195

Merwe, J. H. van der, and Taylor, W. B.:
Gas chromatographic determination of demeton-S-methyl residues in plant material 259

Möllhoff, E.:
Method for gas chromatographic determination of ®Tamaron residues in plants 252

Müller, H. W. K.:
Control of frit fly *Oscinella frit* L. on silage maize with mercaptodimethur and methamidophos 321

Proude, C. K.:
Six years' results with ®Terracur P in New Zealand 503

Sasser, J. N.:
An introduction to the plant nematode problem affecting world crops and a survey of current control methods 3

Vilardebo, A.:
Control of nematodes on bananas in West Africa with ®Nemacur 153

Zeck, W. M.:
The systemic nematicidal potential of ®Nemacur 114

Zeck, W. M.:
A rating scheme for field evaluation of root-knot nematode infestations 141

Subject Index 1971

A

Acer pseudoplatanus 204
Agelaius phoenicus 281, 295, 309
Agriotes mancus 374
Agriotes sp. 53, 372
Agrotis orthogonia 379
Agrotis segetum 53, 378
Agrotis sp. 378
Agrotis ypsilon 378
Aldicarb 49, 481—483, 527, 528, 530—533
Aldrin 305, 373, 378
Allolobophora terrestris forma longa 204
Alternaria sp. 354
Amphimallon solstitiale 376
Anguina tritici 6, 29
Anthraquinone 285
®Antracol 349—359
Aphelenchoides besseyi 6, 25, 400, 498, 500
Aphelenchoides fragariae 6, 401, 483
Aphelenchoides olesistus 52
Aphlenchoides ritzemabosi 6, 30, 52, 65, 401, 483
Aphelenchoides sp. 397, 400, 433, 476, 478
Aphis pomi 234
Aphodius howitti 517, 518
Arthrobotrys sp. 25
Asparagus officinalis 26
Atomaria linearis 307
Azinphos 267
Azinphos-methyl 412

B

Barley mildew, control of 195—231
Bayer 25 141, see Terracur P
Bayer 68 138, see Nemacur
Bayer 71 628, see Tamaron
Bayer 77 487 (oxon) 243, 244, 246
Bayer 77 488, see phoxim
Bayer 79 770, see Imugan
Bayer 85 829 243, 246, 248, 249
®Bayfolan 348
®Bayrusil 490—495
®Baythion 239
Belonolaimus longicaudatus 20, 35, 36, 393—394
Benefin 181
BHC 125
®Bi-Hedonal 344, 345
Bird repellency, seed coating for 279—320
Bromophos 305
Bryobia praetiosa 233

C

Cacoecia podana 234
®Calixin 358
Capsella bursa-pastoris 466
Capua reticulana 234
Carbaryl 125, 412
Carbon bisulphide 6, 114
Carbophenothion 265, 267, 412
Carpocapsa pomonella 234
Cassidix mexicanus mexicanus 285, 294, 306
Cemiostoma scitella 234, 237
Cereal powdery mildew, control of 327—362
Chilo simplex, see *Chilo suppressalis*
Chilo suppressalis 379, 491, 495, 496, 499
Chinomethionat 201, 358
Chloraniformethan 195—231, 337, 338, 358
Chlordane 373
Chlorfenvinfos 305
Chloropicrin 19, 114
Chlorops oryzae 498, 499
Chrysopa sp. 232
Cnaphalocrocis medinalis 493, 499
Columba palumbus 285
Commelina sp. 147
Conoderus falli 373
Conoderus vespertinus 373
Corbin 282, 283
Cornex 284
Corvus brachyrhynchos 285, 294

Corvus corone 285
Corvus frugilegus 282, 285
Corvus pica 282
Corvus sp. 295
Coryne bacterium fascians 400
Cosmopolites sordidus 377
Costelytra zealandica 377, 503—524
Coumaphos 412
Criconemoides ornatus 395
Criconemoides sp. 9, 31, 65, 385, 394
Crotalaria sp. 26
Ctenicera destructor 374

D

1,3 D, see D—D
Dactylaria sp. 25
Dactylella sp. 25
®Dasanit 368, 407
Datura stramonia 282
Dazomet 476, 477
DBCP (= dibromochloropropane = 1,2-dibromo-3-chloropropane) 118—121, 148—151, 171, 368, 392
D-D (= 1,3-D = 1,3-dichloropropene-1,2-dichloropropane = dichloropropene + dichloropropane) 7, 48, 114, 119—121, 171, 392, 476, 477, 535
®DDT 232, 381, 503—521
DDT/superphosphate 510, 513
Delphacodes striatellus, see *Laodelphax striatellus*
Demeton 258, 259, 268, 273, 412
Demeton methyl 272
Demeton-O-methyl 258
Demeton-S-methyl 259—264, 268
Demeton-S-methyl, determination of residues 259—264
Demeton-S-methyl sulphone 259—264
Demeton-S-methyl sulphoxide 259—264, 268
Demeton-S-sulphone 269
Diabrotica longicornis 375
Diabrotica sp. 374
Diabrotica undecimpunctata howardi 375
Diabrotica virgifera 375
Diazinon 265—267, 269, 272, 273, 381, 412, 490—498, 507
Dibromochloropropane, see DBCP
1,2-dibromo-3-chloropropane, see DBCP
1,2-dibromoethane, see EDB
Dichlofenthion 49
Dichloropropene + dichloropropane, see D-D
1,3-dichloropropene-1,2-dichloropropane, see D-D
Dichlorvos 266, 267, 269, 271
Dieldrin 305, 373
(Diethoxy-thiophosphoryloxy-imino)-phenylacetonitrile 239—251
O,O-diethyl-O-(4-methylsulfinyl-phenyl)-monothiophosphate 368, 401, 407, 487
Dimethoate 190, 270, 326
(3,5-dimethyl-4-methyl-thiophenyl)-N-methylcarbamate 286
O,S-dimethyl phosphoramidothiolate 252
Dioxathion 412
Diphenylguanidine 285
®Dipterex 306
Disulfoton 258, 259, 268, 269, 412
®Disyston 306, 433, 439—441, 448, 449, 461, 462, 469, 491—495, 519
Disyston-sulphoxide Granular 440, 441, 448
Ditylenchus destructor 37
Ditylenchus dipsaci 6, 30, 32, 38, 52, 398, 399, 468, 476, 480, 481, 482, 525—535
Ditylenchus sp. 397, 400, 482
DNOPC 201
Dolichodorus sp. 7, 9
Doralis fabae 53, 481
2,4-DP 348
Dysdercus intermedius 53

E

®E 605 306
EBD (= 1,2-dibromoethane) 170—192
Endrin 125
EPN 412
Eremochloa ophiuroides 395
Erysiphe graminis 195—231, 327—362
Erysiphe graminis f. sp. *hordei* 196, 328
Ethion 267, 412
Ethirimol 201

Ethylene dibromide 49, 392
O-ethyl-O(3-methyl-4-methylthiophenyl)-isopropylamido-phosphate 49, 69—113, 114—140, 171
Euscelis bilobatus 53
Euxoa sp. 378
Experimental Product 5121 478
Experimental Product 5854 337, 338

F

Feltia sp. 378
Fenchlorphos 265, 270
Fenitrothion 267, 272
Fensulfothion 49, 367, 368, 407—430, 476, 484, 487
Fenthion 268
Ficus decora 54
Fluoroacetamide 115
Formothion 267, 270
N'-formyl-N²-(3',4'-dichlorophenyl)-2,2,2-trichloroacetate aldehydeaminal 202
Frit fly, control of 321—326
Fusarium oxysporum 147
Fusarium oxysporum var. *cubense* 61
Fusarium sp. 13, 14

G

®Gusathion 232—234
®Gusathion K forte 306

H

HCH, see hexachlorocyclohexane
®Hedonal DP 348
®Hedonal M Liquid (MCPA) 342
Helicotylenchus multicinctus 52, 60, 145, 153, 389
Helicotylenchus nannus 153, 389
Helicotylenchus sp. 9, 385, 476, 478, 479, 484
Hemicycliophora sp. 9
Heptachlor 373
Hercinothrips femoralis 53
Heterodera avenae 386, 467, 470
Heterodera glycines 35, 40
Heterodera marioni 7
Heterodera rostochiensis 7, 34, 51, 386—388, 431, 476, 483
Heterodera schachtii 6, 51, 386, 431
Heterodera sp. 7, 9, 31, 170, 484
Heteronychus arator 521
Hexachlorocyclohexane (= HCH) 304, 380
Hoplolaimus galeatus 52
Hoplolaimus pararobustus 145, 153, 389
Hoplolaimus sp. 432
Hylemya antiqua 381
Hyperodes bonariensis 378, 521

I

®Imugan 195—231, 327—362

L

Laodelphax striatellus 496, 499
Laphygma exigua 53
Lead arsenate 233
®Lebaycid 306, 494, 495
Lema oryzae, see *Oulema oryzae*
Lime sulphur 332
Lindane 381, 490—496
Lithocolletis blancardella 234, 236
Longidorus elongatus 482
Longidorus maximus 479
Longidorus sp. 9, 14, 388, 396, 432, 433, 466, 476, 484

M

Mahonia sp. 451
Malathion 265—267, 270—272, 412
Maleic hydrazide 115, 134
MCPA, see Hedonal M Liquid
Meloidogyne arenaria 38, 145, 170, 392
Meloidogyne hapla 18, 41, 51, 58, 64, 145, 170, 370, 383, 384, 482
Meloidogyne incognita 29, 36, 37, 39, 42, 43, 51—63, 127, 145, 170, 369, 371, 383—386, 393

Meloidogyne javanica 145, 170, 383
Meloidogyne sp. 6, 7, 9, 12, 31, 63, 141—144, 170—192, 391
Mercaptodimethur 279—320, 321—326
Merphos 412
®Mesurol 279—320, 321—326
Metabolism of phoxim 239—251
Methamidophos 252—258, 321—326
Methiocarb, see mercaptodimethur
α-methoxyphenylacetic acid 134
Methyl bromide 19, 48, 114, 171, 478
Methylisothiocyanate 476, 477
Mevinphos 266, 271, 412, 483
Microtus pennsylvanicus 306
®Milfaron, see Imugan
MIPC 498
Molothrus ater ater 285, 295
®Morestan 201, 205—208, 226, 230, 327—362
®Morkit 283—285
Mus musculus 306
Myosotis arvensis 466
Myzus persicae 461

N

®Nemacur 48—68, 69—113, 114—140, 150, 151, 153—169, 170—192, 369, 390, 433, 444, 445, 451—453, 458—460, 470
Nemacur, toxicology of 69—113
Nematodes, and their control 3—47, 48—68, 114—140, 141—144, 145—152, 153—169, 170—192, 367—406, 431—475, 476—485, 486—501, 525—535
Nephotettix apicalis 493, 494, 499
Nephotettix bipunctatus, see *Nephotettix impicticeps*
Nephotettix cincticeps 493, 494, 496, 499
Nephotettix impicticeps 493, 494, 499
Nephotettix sp. 495
NEPO viruses 14, 466
NETO viruses 14, 466
Nilaparvata lugens 494, 499
®Nirosan 233
p-Nitrophenol 272, 273
Nonagria inferens, see *Sesamia inferens*
Nymphula depunctalis 492, 499

O

Organophosphates, residue analysis of 265—278
Oscinella abiseta 304
Oscinella angularis 304
Oscinella frit 303—305, 321—326
Oscinella pusilla 304
Oscinella trochanterata 304
Oscinella vestator 304
Otiorrhynchus sulcatus 377
Oulema oryzae 497, 499
Oxycanus spp., see *Wiseana* spp.
Oxydemeton methyl 268

P

PAM 72, 80, 81, 109, 111, 411, 413, 428, 429
Panonychus citri 53
Panonychus ulmi 53, 233
Paralongidorus maximus 52, 65
Parathion 232, 233, 265—267, 269, 271—273, 381, 412, 483
Parathion-methyl 265—267, 271—273, 412
Paratylenchus amblycephalus 454
Paratylenchus hamatus 458
Paratylenchus sp. 9, 51, 64, 388, 432, 453, 454, 457, 459, 470, 476, 477, 484
Pegomya hyoscyami 399, 482
Phaedon cochleariae 53
Phasianus colchicus 284, 295, 309
Phenamiphos, see Nemacur
Phorate 265, 267, 268
Phorbia antiqua 525, 535
Phorbia brassicae 380
Phoxim, metabolism of 239—251
Phthorimaea operculella 182, 191
Phyllocoptruta oleivora 116
Phyllopertha horticola 376, 513
Phytophthora infestans 329
Phytophthora parasitica var. *nicotianae* 8

®Phytosol 306, 381, 507, 513, 517, 525—535
Piesma quadrata 53
Pinus nigra 451
Pinus strobus 451
Plutella maculipennis 53
Popillia japonica 507
Pratylenchus brachyurus 391, 392
Pratylenchus coffeae 52, 146, 170, 385
Pratylenchus crenatus 52, 63, 458
Pratylenchus minyus 8
Pratylenchus neglectus 476, 477
Pratylenchus penetrans 13, 396, 433, 454, 476—478
Pratylenchus sp. 9, 31, 51, 64, 394—397, 432, 435—454, 457, 468, 470, 476, 477, 479, 482—484
Pratylenchus vulnus 476, 477
Pratylenchus zeae 393
Pseudomonas solanacearum 8
Psila rosae 519
PSP-204 498
Psylla mali 234
Psylla piri 233, 234, 238
Pyrausta nubilalis 303

Q

Quadraspidiotis perniciosus 233
Quinomethionate (chinomethionat) 201, 358
Quiscalus quiscula 285, 294, 295

R

Radopholus similis 9, 10, 52, 53, 60, 62, 115, 116, 145—148, 153—169, 170, 385, 388, 389, 391
Rattle virus 466, 467
Residue analysis of demeton-S-methyl 259—264
Residue analysis of organophosphates 265—278
Residue analysis of Tamaron 252—258
Rhadinaphelenchus cocophilus 8, 33, 124, 125
Rhynchophorus palmarum 124, 125
Rhynchosporium sp. 349, 359
Ronnel 412
Rosa canina 447
Rosa multiflora 447, 451, 477
Rotylenchulus reniformis 44, 52, 61, 63, 118, 120, 122, 123, 146, 147, 394
Rotylenchus robustus 433
Rotylenchus sp. 9, 51, 60, 388, 396, 432, 436, 438—452, 470, 476, 478, 479, 484

S

S 767, see Terracur P
Schoenobius incertulas (= *Sch. incertellus*), see *Tryporyza incertulas*
Schradan 412
Sclerotium cepivorum 528, 532
Scymnus punctillum 232
Seed coating for bird repellency 279—320
Selenium 115
Septoria sp. 349, 350, 354, 359
Sesamia inferens 379, 492, 499
Sodium fluoroacetate 115
Sogata furcifera, see *Sogatella furcifera*
Sogatella furcifera 494, 499
Soil insects 367—401
Solanum nigrum 466
Species dominance, change of 232—238
Sphaerotheca humuli 221
Sphaerotheca mors uvae 221
Stellaria media 466
Stripe virus 496
Sulfotepp 269
®Systox 115

T

Tagetes sp. 26
®Tamaron 252—258, 306, 321—326
Tamaron, residue analysis of 252—258

Tenebrio molitor 371
TEPP 242—247, 250, 251
®Terracur P 49, 367—406, 407—430, 431—475, 476—485, 486—502, 503—524
O,O,O,O-tetraethyldiphosphate, see TEPP
Tetramethylthiuram disulphide, see TMTD
Tetranychus urticae 53, 233
Thiocron 270
Thiometon 268
Thionazine 49
Thrips sp. 53, 64
Thuja sp. 451
TMTD 284, 285, 306, 332, 358, 382
Toxaphene 284
Toxicology of Nemacur 69—113
Toxicology of Terracur P 407—430
®Tribunil 347, 348
Tributyl tin chloride 306
Trichloronat 525, 535
Trichodorus christiei 13, 391—395
Trichodorus pachydermus 466
Trichodorus sp. 7, 9, 14, 31, 64, 65, 388, 394, 432, 433, 466, 470, 479
Trichothecium sp. 25
Tridemorph 358
Tryporyza incertulas 379, 492, 498
Tungro virus 495, 502
Turbatrix aceti 125
Turdas merula 282
Tylenchorhynchus claytoni 52, 63
Tylenchorhynchus dubius 458
Tylenchorhynchus martini 391, 392
Tylenchorhynchus sp. 51, 52, 64, 388, 396, 432, 433, 435, 436, 443—445, 452, 476, 478, 484
Tylenchulus semipenetrans 52, 53, 62, 116, 117, 391
Tylenchus sp. 170, 432, 433

U

Urocystis cepulae 382
Ustilago zeae 304

V

®Valexon 239
Venturia inaequalis 329
Veratrum sp. 285
Verticillium dahliae 13

W

Wettable Sulphur 201, 205—208, 227, 230, 358
Wiseana cervinata 515, 516
Wiseana despecta, see *Wiseana signata*
Wiseana signata 515
Wiseana sp. 378, 515, 517, 521
Wiseana umbraculata 515

X

Xiphinema americanum 393, 394
Xiphinema diversicaudatum 65
Xiphinema sp. 7, 9, 14, 52, 64, 388, 394, 432, 433, 466, 476, 484
Xiphinema vuittenezi 482

Z

Zinc dimethyl dithiocarbamate 285

E. 109—7093/3037 Printed in Germany